

P.T. ETERNAL BUANA CHEMICAL INDUSTRIES MANUFACTURER AND SUPPLIER OF SYNTHETIC RESIN & PLASTICIZERS

BARCLAYS HOUSE 7TH FLOOR, JI Jend Sudirman Kav. 22-23 JAKARTA 12920 Telp. 62-21-5712998, Fax 62-21-5712678

Website: www.royalchemie.com

: EBCI/MSDS/5037 No. Issue date : Sept 14, 2004

Rev. no. Rev. date

Page no. : 1 of 3

MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

🖶 Trade Name : EBL - 5502 HV Chemical Name : Vinyl Acrylic Synonyms : None Molecular For mula : N/A

Chemical Family : Polymer Dispersion

II. INFORMATION ON INGREDIENT

Water : 40 ± 1 %

Polymer Type : Poly Vinyl Acrylic Terpolimer

Free Monomer : 0.5 % max.

Others : -

III. HAZARDS IDENTIFICATION

🗰 Color : Milky White Odor : Pol ymeric

Effect of over exposure : Contact with skin or eyes may cause minor temporary irritation.

Emergency and first aid procedures: Flush eyes with plenty amount of water for a minimum of 15 minutes. Wash contacted skin areas with soap and water. If irritation develops, consult a Physician. Soaked clothing should be change immediately.

IV. FIRST AID MEASURES

First aid procedures - eyes : Immediately rinse with running water for 15 minutes. Get medical attention, if

irritation develops.

First aid procedures - skin : Wash affected areas with soap and water. Get medical attention, if irritation

de vel ops.

First aid procedures – ingestion : Dilute with water if swallowed.

First aid procedures – inhalation : Remove to fresh air. If not breathing gives artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen and seek prompt medical attention.

V. FIRE FIGHTING MEASURES

: (See physical data section)

Flammable Limits in Air, % by volume: Unknown



P.T. ETERNAL BUANA CHEMICAL INDUSTRIES

MANUFACTURER AND SUPPLIER OF SYNTHETIC RESIN & PLASTICIZERS

BARCLAYS HOUSE $7^{\rm TH}$ FLOOR, JI Jend Sudirman Kav. 22-23 JAKARTA 12920 Telp. 62-21-5712998, Fax 62-21-5712678

Website: www.royalchemie.com

No. : EBCI/MSDS/503 Issue date Sept 14, 2004

Rev. no.

Rev. date Page no. : 2 of 3

Lower : Undetermined

Upper : Undeter mined

Extinguishing Media : Use carbon dioxide or dry chemical on small fires. Use foam (alcohol,

polymer or ordinary) and water spray for large fires.

Special Fire Fighting Procedures : Self - contained breathing apparatus and protective clothing should be

worn in fighting fires involving chemicals.

VI. ACCIDENTAL RELEASE MEASURES

Action to take spills: (Use appropriate safety equipment).

Use absorbent material to collect and contain for disposal. Contain large spills and pumpinto suitable tank. Wash the area with water and thoroughly rinse.

VII. STORAGE AND HANDLING

Store in well ventilated areas at temperature below 120 °F. Keep container tightly closed. Do not store or consume food, drink, or tobacco in area where they may become contaminated with this material.

VIII. PERSONAL PROTECTION

Ventilation

1. Local exhaust : None should be needed 2. R espiratory protection (type) : Ca (i.e. type GMA from Mine Safety Appliance Co.) : Canister for organic vapors

Protecti ve Clothi ng : clean, body-covering clothing. In addition, rubber gloves, boots and apron,

depending upon the exposure likely, or as required by your company).

Eye Protection : Safety goggles recommended.

IX. PHYSICAL PROPERTIES

Solubility in water : Soluble in all portion

Specific Gravity : 1.04 - 1.06 Vapour Pressure, mm. Hg, : < 0.1

at 25°C

Vapour Density (Air=1) : > 1 Volatiles, % : < 1

App earance : Milky White Odour : Polymeric Flash Point, PMCC°F : > 300

X. STABILITY AND REACTIVITY

Stability : Stable

Hazardous Decomposition Products : Ther mal decomposition may produce carbon mono/ dioxides.

Hazardous polymerization : Will not occur Condition to avoid : See above statement



P.T. ETERNAL BUANA CHEMICAL INDUSTRIES

MANUFACTURER AND SUPPLIER OF SYNTHETIC RESIN & PLASTICIZERS

BARCLAYS HOUSE 7TH FLOOR, JI Jend Sudirman Kav. 22-23 JAKARTA 12920 Telp. 62-21-5712998, Fax 62-21-5712678

Website: www.royalchemie.com

No. : EBCI/MSDS/503 Issue date : Sept 14, 2004

: 3 of 3

Rev. no. : -Rev. date : -

Page no.

XI. TOXICOLOGICAL INFORMATION

No applicable data for this section.

XII. ECOLOGICAL INFORMATION

No applicable data for this section.

XIII. DISPOSAL CONSIDERATION

Disposal Method: All local, state and federal regulation concerning health and pollution should be reviewed to determine approved disposal procedures.

Do not discharge into waterways or sewer system.

XIV. TRANSPORTATION INFORMATION

Not regulated by the department of transportation.

XV. REGULATORY INFORMATION

No additional information.

XVI. OTHER INFORMATION

Hazard Classification : Non - Hazardous : 0 - (Normal Material)
Flammability : 0 - (Unflammable)
Reactivity : 0 - (Stable)

This above data and information apply to the product as such and confirming to specifications given by Eternal Buana Chemical Industries. While the information is believed to be correct, Eternal Buana Chemical Industries shall in no event be responsible for any damages what so ever, directly or indirectly resulting from the publication or use of or reliance upon data contained herein. Users are advised of possible additional hazard when the product is used in applications for which it was not intended. This sheet only be used and reproduced for prevention and security purposes.